



Copyright 2008 Fab Fours, Inc.




Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD

I. Overview

Congratulations on your new purchase of the industries' best and most stylish front bumper available for the 2016+ Nissan Titan XD. This bumper has been engineered for strength while keeping the weight down.

Your front bumper designed in 3-D from digitized data, CNC laser cut, fabricated, and powder coated... all in the U.S.A.

Enjoy the fit and finish of a quality Black Steel Nissan Titan XD Front Bumper from Fab Fours Inc.





Copyright 2008 Fab Fours, Inc.

Page 2 of 10

BLACK 会 STEEL

Installation Instructions BS / BSE Front Bumper

Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD

Parts List

- K/R375X Replacement Bumper
- Brackets
- K186X-hw kit
- Instruction Manual
- Tow hooks

Tools Required

- Socket Wrench with Extension (Ratcheting wrenches may also be convenient)
- 10mm, 12mm, 14mm Sockets and Box End Wrenches
- Flat head screw drivers
- Floor jack, jack stands, and/or a wood block.

II. Removal of OEM Bumper

Note: Save all OEM parts until installation is complete!

- 1. Disconnect factory fog lamps and the sensor harness if equipped from the passenger side.
- 2. Remove 1 10mm bolt and Christmas tree clip from the lower bolt covers on both sides.



BLACK 💮 STEEL

Installation Instructions BS / BSE Front Bumper

Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD



3. Remove center sensor mounting plates (may not contain sensor depending on trim level). If equipped with sensor unplug them from the harness



4. Remove 2 12mm bolts connecting the side bumper supports to the frame.




Copyright 2008 Fab Fours, Inc.

Page 4 of 10

BLACK 💮 STEEL.

Installation Instructions BS / BSE Front Bumper

Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD



5. While supporting the bumper, unscrew the main bumper mounting bolts (3 per side) using a 14mm socket from the front face of the bumper and remove the bumper.



Copyright 2008 Fab Fours, Inc.



Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD



6. Remove the tow hooks using a 17mm socket or wrench.



Copyright 2008 Fab Fours, Inc.

Page 6 of 10

BLACK 💮 STEEL.

Installation Instructions BS / BSE Front Bumper

Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD



7. Remove the bumper mount brackets from both frame rails using a <u>14mm socket</u>. Save this hardware for later use.





Copyright 2008 Fab Fours, Inc.

Page 7 of 10



Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD

8. Remove OEM electrical harness from bumper. Disconnect harness from sensors. Pop out plastic clip holding harness to bumper on both side and carefully pull away.

III. Pre-Installation

NOTE: PLEASE READ THE ENTIRE MANUAL BEFORE ATEMPTING INSTALLATION! Ignoring these steps will increase your probability of scratching the vehicle during product installation.

<u>Optional:</u> If installing winch and roller fairlead into bumper, do it at this time. Follow the winch manufacturer's instruction for installation. If you are installing a winch with a pulling capacity of 12,000 lbs., the front face mounting holes must be used.

If not installing a winch a license plate may be installed onto the front face of the bumper.

IV. Front Bumper Installation

A. Mount the brackets to the truck using OEM bumper mount, and tow hook hardware. Do not tighten at the time as the brackets have side to side adjustment.




Copyright 2008 Fab Fours, Inc.

BLACK 💮 STEEL

Installation Instructions BS / BSE Front Bumper

Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD



B. Mount bumper to bracket. With the help of at least two others and possibly a floor jack, to support the center of the bumper, lift the Fab Fours bumper into place. <u>Do Not</u> <u>Fully Tighten, Hand Tighten Only.</u>

C. Align the bumper top-to-bottom and right-to-left to ensure a perfect fit to the truck. Allow clearance to all painted surfaces; this is to allow for frame flex. FAB FOURS RECOMENDS ATLEAST 5/8" CLEARANCE TO FENDERS.

D. Fully tighten all fasteners.

E. Enjoy your new front replacement bumper from Fab Fours!



Copyright 2008 Fab Fours, Inc.



Product Number: K3760, K3761, K3762, R3760, R3761, R3762 Application: 2016+ Nissan Titan XD

V. Maintenance/Care

- □ Periodically check and tighten all fasteners.
- □ Stripped, fractured, or bent bolts or nuts need to be replaced.
- □ After washing of the vehicle make sure to fully dry all surfaces

Contact Information

Fab Fours Inc. 2213 Industrial Park Road Lancaster, SC 29720
 Phone
 (866)-385-1905

 Fax
 (866)-574-1424

 Email
 Support@fabfours.com



More than expected... Better than expected.



Copyright 2008 Fab Fours, Inc.

Page 10 of 10